

CENTIPEDEGRASS CULTIVATION



The University of Georgia
Center for Urban Agriculture
edited by Walter Reeves, Dr. Clint Waltz & Dr. Tim Murphy
January, 2003



Centipede grass is slower growing, tolerates low soil fertility, and is typically considered a low-maintenance grass. Centipede grass normally has a light green color and is suited to more acid soils. It will green up in spring later than other warm-season turfgrasses. Centipede decline may occur if centipede grass is mowed higher than 2". It should not be fertilized until it is completely out of dormancy in spring. If yellowing is observed in mid-summer, apply ferrous sulphate or chelated iron.

Centipede grass varieties

'Common' 'Oaklawn' 'Tifblair' 'Tennessee Hardy'

SOIL PREPARATION - NEW LAWNS

1. Kill all weeds by spraying the area with a non-selective weed killer containing glyphosate (RoundUp, etc.) two weeks before planting.
2. Till the soil thoroughly to a depth of six inches, mixing in lime and fertilizer according to soil test results. Slope the soil away from buildings to prevent water collection in unwanted areas.
3. Rake the area smooth, removing rocks, clumps and grassy debris.
4. Roll the area with a water-filled roller to reveal low spots.
5. Fill low spots with soil.
6. Rake lightly and plant.

DISEASE CONTROL

Most lawn diseases are caused by poor cultural practices. Overwatering is most often the culprit.

1. Irrigate after midnight and before noon, allowing the grass to dry before nightfall.
2. Correct disease identification is a must before a fungicide is applied. Call your local Extension office for assistance and advice.

INSECT CONTROL

A healthy, vigorously growing lawn can absorb a great deal of insect pressure without lasting harm.

1. Identify insects or grubs before applying an insecticide. Call your local Extension office for advice.
2. Treatment for white grub control is not necessary unless more than 12 per square foot are found in irrigated turf.

SOIL TESTING

1. Use a clean trowel and plastic bucket. In an area to be tested, take a deep, hearty scoop of soil (a *plug*) from ten randomly selected spots. A plug should be four to six inches deep. Place the plugs in the bucket.
2. Mix the plugs together in the bucket. Remove grass, twigs, stones, etc. This is a representative sample of all of the soil in a particular area.
3. Call your local County Extension office. (Look in the phone book under the government listings for your county.) They will give you details on how to bring a soil sample to them. There is a nominal charge, in the range of \$4.00 to \$8.00, for each sample.
4. The University of Georgia Soils Laboratory will test your soil and send you a written report on the nutrients it contains. The acidity (pH) of the soil will also be noted. Fertilizer recommendations and schedules are included, along with the amount of lime needed by your soil.